


Part Number System and Ordering Information

Fluid Connector's part numbers are based on basic description of thread Style, Shapes and Sizes. Note Fluid Connectors refers to thread sizes only, not a dash size, as this is a universal language.



Important—our part number system is written in alphabetical order, JIM before UNM etc. Additionally, males come before females, BPM before BPF.

Please note our catalogue also works in an alphabetical sequence.

REFERENCE FOR FLUID CONNECTORS SHAPE TYPES

- 45C 45 Degree Compact
- 90C 90 Degree Compact
- 90S 90 Degree Swept
- CS Counter Sunk (Plugs Only)
- CSCS Counter Sunk Captive Seal (Plugs Only)

STAINLESS STEEL

Our stainless steel products' part numbers have the prefix 'S-'
eg. S-BPM-BPM-0808.

✓ The right connector
✓ The right price

www.fluidconnectors.com



7/8" JIC Male x 7/8" UNO Positionable Male 90 Degree Compact Extension 73mm


<--- 73mm --->



Part No. = **JIM-UNP-90C-1414 E73**


3/4" NPT Male Drop Tee (Branch)

Tee's are read clockwise from the left



Part No. = **NTF-NTF-NTM-121212**

3/8" NPT Female Cross



Part No. = **NTF-NTF-NTF-06060606**

Reference Guide of Fluid Connectors Fitting Styles & Descriptions

S-...	Stainless Steel Part	CHK	Check Valve	MBJ	Metric Banjo
... (...)	Drop/Leg Length of 90-Degree Part	CLK-F61	Flange Clamp Kit Code 61	MBN	Metric Bulkhead Nut
... E...	Extended (Overall Length of Part)	CLK-F62	Flange Clamp Kit Code 62	MCF	Metric Chinese Flat Face Female
... ES	Encapsulated Seal on the Part	CLS-F61	Flange Clamp Split Code 61	MCM	Metric Chinese Flat Face Male
... I	Imperial Bolt Holes (SAE Block)	CLS-F62	Flange Clamp Split Code 62	MCS	Metric Cutting Sleeve
... L...	Length Of Part Under Hex	CLW	One-Piece Flange Clamp (Whole)	MCS-B4	Metric Cutting Sleeve with B4 Seals
... M	Metric Bolt Holes (SAE Block)	DSB	Dowty Seal BSP	MFD	Manifold Block
... MI	Bolt Holes for Met or Imp Bolts (SAE Block)	DSM	Dowty Seal Metric	MFF	Metric French GAZ Female
... NK	No Seat (K) on the Part	EDB	ED Captive Seal BSP	MFM	Metric French GAZ Male
... R...	Flow Restrictor Hole on the Part	EDM	ED Captive Seal Metric	MFN	Metric French GAZ Tube Nut
... SCHD ...	Can fit onto Scheduled Pipe	F61	SAE Flange Code 61	MFS	Metric French GAZ Cutting Sleeve
... ZiNi	Zinc Nickel Plated	F61B	Flange Block Code 61 w/ O-Ring Groove	MHB	Metric Heavy Bulkhead
AIR	Air Applications	F61C	Flange Block Code 61 w/o O-Ring Groove	MHF	Metric Heavy Female
B385	Brass 385	F62	SAE Flange Code 62	MHM	Metric Heavy Male
BBB	BSP Banjo Bolt	F62B	Flange Block Code 62 w/ O-Ring Groove	MHN	Metric Heavy Nut
BBJ	BSP Banjo	F62C	Flange Block Code 62 w/o O-Ring Groove	MIF	Metric ISO Female
BBM	BSP Bulkhead Male	FPS	Ford Power Steer	MIK	Mikalor T-Bolt Clamp
BBN	BSP Bulkhead Nut	GBLK	Grease Block	MIM	Metric ISO Male
BFF	BSP Flat Face Female	GNP	Grease Nipple	MKB	Metric JIS Komatsu Bulkhead
BFM	BSP Flat Face Male	Grease	Grease Line Product	MKF	Metric JIS Komatsu Female
BGF	BSP Gauge Female	HBV	Hose Burst Valve	MKM	Metric JIS Komatsu Male
BJF	BSP Inverted JIS Female	HSE	Hose	MKP	Metric Komatsu Stud Male (for Ports)
BJM	BSP Inverted JIS Male	ISP	Imperial Stand Pipe	MLB	Metric Light Bulkhead
BLK	Bolt Kit (Bolts & Washers) for Flange	JBM	JIC Bulkhead Male	MLF	Metric Light Female
BPF	BSP Parallel Fixed Female	JBN	JIC Bulkhead Nut	MLLF	Metric Light Light Female
BPM	BSP Parallel Male	JFF	JIC Fixed Female	MLLM	Metric Light Light Male
BPP	BSP Parallel Positionable Male	JFS	JIC Female Slip Nut	MLLN	Metric Light Light Nut
BSF	BSP Parallel Swivel Female	JIF	JIC Swivel Female	MLM	Metric Light Male
BTF	BSP Tapered Fixed Female	JIM	JIC Male	MLN	Metric Light Nut
BTM	BSP Tapered Male	JTN	JIC Tube Nut	MMP	Metric Male Positionable
BTS	Black Taper Socket	JTS	JIC Tube Sleeve	MPIF	Metric Power Steer Inverted Female
BVB	Ball Valve BSP	KAR	Karcher	MPIM	Metric Power Steer Inverted Male
BVB-DIV	Ball Valve Divertor BSP	KFF	Komatsu Fixed Female	MPSM	Metric Power Steer Male
BVB-L	Ball Valve BSP (High Pressure) L-Config.	LPS	Low Pressure Suction-Bulb Tail	MS00	Multi Spiral Hose Ferrule
BVB-T	Ball Valve BSP (High Pressure) T-Config.	LPT	Low Pressure Barbed Tail	MS00U	Multi Spiral Hose Ferrule (for STB Tails)
BVH	Ball Valve Handle	MAB	Japanese Metric Automotive Bulkhead	MSF	Metric Stud Fixed Female
CAT-F62	CAT Spacer Ring	MAM	Japanese Metric Automotive Male	MSM	Metric Stud Male
		MBB	Metric Banjo Bolt	MSP	Metric Stand Pipe

Reference Guide of Fluid Connectors Fitting Styles & Descriptions

MTM	Metric Taper Male	QAF	QRC ISO A Series (Poppet) Female	QPBRP	QRC PBR Plastic Plug for Female
NSF	NP Parallel Swivel Female (NPS Thread)	QAF-PC	QRC ISO A Connect Under Press. Female	QSC	QRC Screw Plastic Cap for Male
NTF	NP Tapered Fixed Female (NPT Thread)	QAF-PPB	QRC ISO A Female Push/Pull Body	QSC-WV	QRC Screw VV Series Cap for Male
NTM	NP Tapered Male (NPT Thread)	QAF-PPS	QRC ISO A Female Push/Pull Sleeve	QSF	QRC Screw Female
OBM	ORFS Bulkhead Male	QAM	QRC ISO A Series (Poppet) Male	QSF-HS	QRC Screw to Connect Poppet Female
OBN	ORFS Bulkhead Nut	QAMP	QRC ISO A Male Parking Station	QSF-HSC	QRC Demolition High Press. Pulse Femal
OFF	ORFS Fixed Female	QAM-PC	QRC ISO A Connect Under Press. Male	QSF-VV	QRCV\SeriesHighPress.ScrewPoppetFei
OR-BSP	O-Ring BSP	QAP	QRC ISO A Plastic Plug for Female	QSM	QRC Screw Male
ORF	ORFS Swivel Female	QBC	QRC ISO B Plastic Cap for Male	QSM-HS	QRC Screw to Connect Poppet Male
OR-FLA	O-Ring Code 61/62 Flange	QBF	QRC ISO B Series (Poppet) Female	QSM-HSC	QRC Demolition High Press. Pulse Male
ORM	ORFS Male	QBM	QRC ISO B Series (Poppet) Male	QSM-WV	QRCV\SeriesHighPress.ScrewPoppetMa
OR-MSM	O-Ring Metric Stud	QBP	QRC ISO B Plastic Plug for Female	QSP	QRC Screw Plastic Cap for Female
OR-ORF	O-Ring ORFS	QDC	QRC DIN Series Plastic Cap for Male	QSP-WV	QRC Screw VV Series Plug for Female
OR-QAF	ISO A Female-Only Seal Kit (for QAF)	QDF	QRC DIN Series Female	QTC-CEJN	QRC Test CEJN 116 Cap for Male
OR-QBF	ISO B Female-Only Seal Kit (for QBF)	QDM	QRC DIN Series Male	QTF	QRC Test Female
OR-QDF	DIN Series Female-Only Seal Kit (for QDF)	QDP	QRC DIN Series Plastic Plug for Female	QTM	QRC Test Male
OR-QPBRF	Female-Only Seal Kit (for QPBRF)	QFC	QRC Flat Face Plastic Cap for Male	QTP-CEJN	QRC Test CEJN 116 Plug for Female
OR-QSF-HS	HS Series Female-Only Seal Kit (for QSF)	QFF	QRC Flat Face Female	R1N	R1 Field Attachable Ferrule
OR-UNM	O-Ring UNO	QFF-HFT	Flat Face Screw High Press. Pulse Female	R1T	R1 Field Attachable Tail (Inc. Ferrule)
ORW-BSP	O-Ring and Washer BSP	QFF-HP	Flat Face High Press./Flow Female	R2N	R2 Field Attachable Ferrule
ORW-MET	O-Ring and Washer Metric	QFF-HQ	ISO 16028 Flat Face QRC Female	R2T	R2 Field Attachable Tail (Inc. Ferrule)
OTN	ORFS Tube Nut	QFM	QRC Flat Face Male	R5N	R5 Field Attachable Ferrule
OTS	ORFS Tube (Weid) Sleeve	QFM-HFT	Flat Face Screw High Press. Pulse Male	R5T	R5 Field Attachable Tail (Inc. Ferrule)
PAT-CH	Pattern Changer	QFM-HP	Flat Face High Pressure/Flow Male	RGN	Grease Ferrule
PCLIP PDC	P-Clip (Plastic Dipped)	QFM-HQ	ISO 16028 Flat Face QRC Male	RGT	Grease Hose Tail
PCLIP RIC	P-Clip (Rubber Insulated)	QFM-PC	QRC Flat Face Connect Under Press. Male	RR-BSP	Retaining Ring BSP
PIC Grease	Push-in Connector For Grease	QFP	QRC Flat Face Plastic Cap for Female	RR-MSM	Retaining Ring Metric Stud
PIF	WEO Cartridge Push-In Female	QHF	QRC High Flow + Safety Lock Female	SAF	SAE Female
PIM	WEO Cartridge Push-In Male	QHF-F	High Flow QRC Nordic Female	SAM	SAE Male
PJT-A	Projectile - Abrasive Foam (for Cleaning)	QHM	QRC High Flow + Safety Lock Male	SF1	Swage Ferrule Type1AirconHose
PJT-KIT	Projectile Kit (Gun & Nozzles Included)	QHM-F	High Flow QRC Nordic Male	SN01	Swage Ferrule Non-Skive 1 Wire
PJT-MP	Projectile - Multipurpose Foam (for Cleaning)	QJC	QRC Jacking Metal Cap for Male	SN02	Swage Ferrule Non-Skive 2 Wire
PJT-NOZ	Projectile Gun Nozzle	QJF	QRC Jacking Female	SN03	Swage Ferrule Non-Skive R3
PJT-S	Projectile - Standard Foam (for Cleaning)	QJM	QRC Jacking Male	SN05	Swage Ferrule Non-Skive R5
PLT	Push Lock Tail	QJP	QRC Jacking Metal Plug for Female	SN07	Swage Ferrule 100R7
PRE	Presetting Tool for Metric Light/Heavy Tube	QPBRC	QRC PBR Plastic Cap for Male	SN1/2	Swage Ferrule Non-Skive 1 & 2 Wire
PST	Paint Spray Tail	QPBRF	QRC PBR Female	SPIM	SAE Power Steer Inverted Male
QAC	QRC ISO A Plastic Cap for Male	QPBRM	QRC PBR Male	SPW-SGX	Spiral Wrap

Reference Guide of Fluid Connectors Fitting Styles & Descriptions

SPW-SGX-F	Spiral Wrap (FRAS) MSHA
SS01	Swage Ferrule Skive 1 Wire
SS02	Swage Ferrule Skive 2 Wire
ST	Steel Teflon Ferrule R14
STB	Swage Tail Braided
STO	Swage Tail OnePiece
SWV	Swivel Union
TBF	QRC Tractor Brake Female
TBM	QRC Tractor Brake Male
TBP	QRC Tractor Brake Park Station
TCL-D	Tube Clamp Double
TCL-DS	Tube Clamp Double (Stackable)
TCL-RAIL	Tube Clamp Rail
TCL-S	Tube Clamp Single
TCL-SS	Tube Clamp Single (Stackable)
TP	Test Point
TUB	Hydraulic Tube
TUB-Grease	Grease Tube (Flexible Plastic)
TWB	Tube Weld (Buttweld)
TWF	Tube Weld Female
UBB	UNO Banjo Bolt
UNF	UNO Fixed Female
UNM	UNO Male
UNP	UNO Positionable Male
WELD	Weld-ons